

Our best-performing LOUVER SOLUTIONS!

Discover the AURORA TOP SELLERS!

As a full-service provider AURORA is well known for innovative developments and a broad range of products. AURORA thus also offers you the competence and experience in the field of louver manufacturing. In this flyer we present our top sellers from our standard range.

- **ROUND LOUVER:** 
  - RD 83
- **RECTANGULAR LOUVERS:** 
  - Thin Louver
  - Vector Nozzle
  - Small Louver II

## The quicker the better:

Our current price level will be valid until end of November 2024.

Offers on request, depending on quantity.









## **OVERVIEW ROUND / RECTANGULAR LOUVERS**

## RD 83 / THIN LOUVER / VECTOR NOZZLE / SMALL LOUVER II

LOUVER	DESCRIPTION	EXAMPLES
RD 83	<ul> <li>is built for the industry</li> <li>2 mm, 3 mm, 4 mm, and 5 mm clip ranges</li> <li>convex design for maximum air flow in any desired direction</li> <li>also snaps closed for complete air shut off</li> <li>various color options for the louver's outer ring are also available</li> </ul>	334-220-0122 Standard Black with Flaps & Clip Adaptor Ø 83 mm
THIN LOUVER	<ul> <li>slim design for installation in spaces where room is scarce</li> <li>the roll function allows to adjust the direction of airflow to the desired destination</li> <li>the flap control also adds to the adjustability</li> <li>when closed, the louver is completely shut</li> </ul>	334-315-0002  Thin Louver Black  L: 173 mm W: 42 mm
VECTOR NOZZLE	<ul> <li>is the ultimate defrost or under the seat louver</li> <li>with fixed vanes to optimize airflow over the desired surface area</li> <li>with a faceplate, this grill prevents any foreign objects from entering the ducting while the spindle allows the option for complete air shut-off in order to allocate maximum air flow to additional areas of the operating environment</li> </ul>	334-150-0014 Screw Version L: 170 mm W: 42 mm
SMALL LOUVER II	<ul> <li>this edition has a new facelift with arched bezels for a modern looking design</li> <li>both the screw and clip versions provide easy mounting options for versatile usage</li> <li>is an excellent option for headliners, dash panels, and A or B pillars</li> </ul>	334-314-0021 Screw Version L: 145 mm W: 60 mm



The quicker the better. Don't hesitate to contact us, we will gladly create an individual offer for your:

jennifer.krieger@aurora-eos.com



